

OCT. 28. 2004 3:57PM

866 751 0075

RECEIVED  
CENTRAL FAX CENTER

NO. 1291 P. 2

OCT 28 2004

Docket No. 099488-2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT Re-Issue application of

U.S. Patent No. 5,810,590

Paula S. FRIED et al.

Application No.: 09/667,827

Filed: September 22, 2000

For: DENTAL IMPLANTS AND METHODS  
FOR EXTENDING SERVICE LIFE

)

) Art Unit: 3732

)

) Examiner: Cary E. O'Connor

)

) Confirmation No.: 1694

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the USPTO at (703) 872-9306, on October 29, 2004.

*Linda Swink*  
Linda Swink

PRELIMINARY AMENDMENT  
PURSUANT TO 37 C.F.R. § 1.173(B)(2)  
FOR A RE-ISSUE APPLICATION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Please preliminarily amend this continuation re-issue application by the addition of new claims 16-25 as attached.

Amendments to the claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks start on page 7 of this paper.

**RECEIVED  
CENTRAL FAX CENTER**

OCT. 28. 2004 3:57PM

866 751 0075

OCT 28 2004

NO. 1291—P. 1

**Nixon Peabody LLP**  
Attorneys at Law

Suite 900  
401 9th Street, N.W.  
Washington, D.C. 20004-2128  
(202) 585-8000

Fax: (202) 585-8080

**PRIVILEGE AND CONFIDENTIALITY NOTICE**  
The information in this fax is intended for the named recipients only. It contains privileged and confidential matter. If you have received this fax in error, please notify us immediately by a collect telephone call to (202) 585-8000 and return the original to the sender by mail. We will reimburse you for postage. Do not disclose the contents to anyone. Thank you.

**FAX**

To:	Company	Fax #:	Telephone #:
1) Ex. Cary E. O'Connor Group Art Unit 3732	USPTO	(703) 872-9306	
2)			
3)			
4)			
5)			

INTERNATIONAL PHONE NUMBERS MUST INCLUDE COUNTRY & CITY CODE. SEE LOCAL WHITE PAGES FOR CODES NEEDED.

From: Thomas W. Cole	Date: October 28, 2004	No. of Pages: 6 (including this page)
<b>Comments:</b>  <b>Filed Herewith:</b>  <b>RE: Re-Issue Patent Application</b> <b>Serial No. 09/667,827</b> <b>USP 5,810,590:</b>  <b>Preliminary Amendment Pursuant to 37 CFR 1.173(B)(2) for a Re-Issue Application</b>		

Original of the transmitted document will be sent by:  
☐ First Class Mail    ☐ Overnight Mail    ☐ Hand Delivery    ☐ This transmission will be the only form of delivery of this document

**IF YOU DO NOT RECEIVE ALL OF THESE PAGES, PLEASE CONTACT THE FAX OPERATOR AS SOON AS POSSIBLE AT: (202) 585-8000. THANK YOU.**

CONFIRMATION: DATE SENT \_\_\_\_\_ TIME \_\_\_\_\_ BY \_\_\_\_\_

**INTEROFFICE TO:**    ☐ Albany    ☐ Boston    ☐ Buffalo    ☐ Garden City    ☐ Hartford    ☐ Manchester    ☐ New York City  
                              ☐ Northern Virginia    ☐ Orange County    ☐ Philadelphia    ☐ Providence    ☐ Rochester    ☐ San Francisco  
                              ☐ Washington

To:	Company	Fax #:	Telephone #:
1) Ex. Cary E. O'Connor			
2)			
3)			
4)			
5)			

INTERNATIONAL PHONE NUMBERS MUST INCLUDE COUNTRY & CITY CODE. SEE LOCAL WHITE PAGES FOR CODES NEEDED.

From: Thomas W. Cole	Date: October 28, 2004	No. of Pages: 6 (including this page)	Client/Matter: 099488-2
User #: 8682	Ext: 8206	Disbursement Amount: \$	

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☒ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**